

Installation of Haltech Products

No responsibility whatsoever is accepted by Haltech for the fitment of Haltech Products. The onus is clearly on the installer to ensure that both their knowledge and the parts selected are correct for that particular application. Any damage to parts or consequential damage or costs resulting from the incorrect installation of Haltech products are totally the responsibility of the installer.

Haltech Limited Warranty

Unless specified otherwise, Haltech warrants its products to be free from defects in material or workmanship for a period of 12 months from the date of purchase, valid in the original country of purchase only. Proof of purchase, in the form of a bill of sale or receipted invoice, which indicates that the product is within the warranty period, must be presented to obtain warranty service. Lockin Pty Ltd trading as Haltech suggests that the purchaser retain the dealer's dated bill of sale as evidence of the date of retail purchase. If the Haltech product is found to be defective as mentioned above, it will be replaced or repaired if returned prepaid along with proof of purchase. This shall constitute the sole liability of Haltech. To the extent permitted by law, the foregoing is exclusive and in lieu of all other warranties or representations, either expressed or implied, including any implied warranty of merchantability or fitness. In no event shall Haltech, be liable for special or consequential damages.

Product Returns

Please include a copy of the original purchase invoice along with the unused, undamaged product and its original packaging. Any product returned with missing accessory items or packaging will incur extra charges to return the item to a re-saleable condition.

All product returns must be sent via a freight method with adequate tracking, insurance and proof of delivery services. Haltech will not be held responsible for product returns lost during transit.

The sale of any sensor or accessory that is supplied in sealed packaging is strictly non-refundable if the sealed packaging has been opened or tampered with. This will be clearly noted on the product packaging. If you do not accept these terms please return the sensor in its original unopened packaging within 30 days for a full refund.

Returning a sensor or accessory product within 30 days of purchase: Product may be returned for credit or full refund. (Any sealed packaging must not have been opened or tampered with)

Returning a sensor or accessory product after 30 days of purchase: Product may be returned for credit only (no refunds given) and is subject to a 10% Restocking fee.



HT-011200

Laser Ride Height Sensor 1" (25mm) - 19.5" (500mm) range

Laser Ride Height Sensor

The Haltech Laser Ride Height Sensor is meant to provide the user with a ride height reading for the purpose of tuning to prevent front-end lift.

Laser Ride Height Sensor - Mounting

Please mount the sensor with the wiring harness pointed to the right or to the left. Haltech recommends mounting the sensor near the steering rack and between 3" - 5" from the ground at static ride height. However, your application may vary and require some adjustment.

Mounting the Laser Ride Height sensor incorrectly can result in incorrect ride height readings and an incorrect response from the ECU based on the erroneous readings.


Laser Ride Height Sensor - Wiring

The Haltech Laser Ride Height Sensor comes pre-terminated with a DTM3 connector. If used with an HT-141376 (Elite 2500/2500 T V8 Big Block/Small Block GM, Ford & Chrysler Terminated Engine Harness) then this sensor may be plugged directly into SPI4 on the engine bay harness with no modification. If custom wiring, follow the pin-out below when connecting the sensor to your harness.

PIN 1	PIN 2	PIN 3
GROUND	+12V/+16V DC	SIGNAL

Laser Ride Height Sensor - Calibration

VOLTS	0V	5V
INCHES	1" / 25mm	19.5" / 500mm



HT-011200



Revision #1

Need more help?

Intl: +61 2 9729 0999
USA: +1 888 298 8116

Intl: support@haltech.com
USA: usasupport@haltech.com

www.haltech.com

/Haltechecu

/HaltechEngineManagement